

Office of the Engineer-in-Chief (Admn.Wing),
Irrigation & CAD Deptt., Errummanzil, Telangana, Hyderabad.

Circular Memo No. RC/ENC/D2/28022018/2018

Dated: 01-06-2018.

Sub:- Estt. – I & CAD Deptt.1 – TSES – AEEs / DEEs / ~~MPEAs~~ – Cancellation of O.D. orders – Kept in Abeyance - Regarding.

Ref:- 1. G.O.Ms.No.61, Finance (HRM-1) Department, Dt.24-05-2018.
2. T.O.Circular Memo No. RC/ENC/D2/28022018/2018, Dt.28-05-2018.

.....

Most of the Chief Engineers / Superintending Engineers have requested to continue the diversion orders issued, as the diversion orders have been issued as per necessity of the staff requirement. All the staff working on O.D. basis are involved in the time bound works. The Chief Engineers have also expressed that it is not appropriate time to cancel the O.Ds, as it is working season of the Department

In view of the circumstances explained by the Chief Engineers / Superintending Engineers, the orders issued in the reference 2nd cited are kept in abeyance until further orders.

Sd/- B.NAGENDRA RAO, 01-06-2018,
Engineer-in-Chief (Admn.Wing).

To

The Individuals concerned,

Through the Unit / Circle Officers concerned.

Copy to all the Unit / Circle Officers for taking necessary action in the matter. All the Unit /

Circle Officers are requested to continue the Assistant Engineers / Assistant Executive Engineers/ Deputy Executive Engineers who are working on OD/Diversion basis.

✓ Copy to the Deputy Executive Engineer (Computers) with a request to place in website.

Copy to B/section of this office.

Copy to File.


for Engineer-in-Chief (Admn.Wing).
