

**Circular Memo No.: Rc/ENC/E1/E3/13812 /2013**

**Dated: 22-02-2013**

Sub: P.S. – Irrigation & CAD Department – APES – Diverting the services of Dy.E.Es – Orders being issued by the Unit officers – Reiteration of earlier instructions issued – Reg.

Ref: T.O. Memo No. Rc/ENC/E.1/E.3/13812/2012, dt., 24-8-2012.

\*\*\* J \*\*\*

Despite specific instructions issued to all the Unit/ Circle offices not to issue orders of deputation/diversion of service from one place of posting to another, it is noticed with displeasure that some unit officers are issuing deputation/ diversion orders which is disobedience to this office orders.

Some of the affected officers are approaching the Hon'ble APAT challenging the diversions and the Hon'ble APAT has been directing the Engineer-in-Chief (A.W) to file counter affidavit by referring this office memo cited, which is causing embarrassment to the Engineer-in-Chief, as the very orders issued by this office are being violated by the Unit/Circle offices.

Therefore, the Chief Engineers/ Superintending Engineers are once again instructed not to issue any orders of deputation/ diversion of services of DEE/AEE/AE at their level. The Engineer-in-Chief, being the appointing authority, is only competent to issue any such orders to meet the exigency of work.

Therefore, the Chief Engineers/ Superintending Engineers are requested to cancel the diversion/ Deputation orders already issued if any, at their level and submit proposals if necessary.

Any violation of the above instructions will be viewed seriously and necessary Disciplinary action will be initiated as per APCS (CC&A) Rules, 1991 against the concerned.

Receipt of this circular memo shall be acknowledged in the first instance.

This Circular memo is also available in irrigation website i.e., [www.irrigation.ap.gov.in](http://www.irrigation.ap.gov.in).

Sd/- L.Narayan Reddy, Dt. 22.02.2013  
Engineer-in-Chief (AW)

To

All the Chief Engineers & Superintending Engineers

*for Engineer-in-Chief (AW)*  
*23/2/2013*