

**Memo. No. RC/ENC/ E1/22041637 / 2022**

**Dt: 02.05.2022**

Sub: Estt - I & CAD Department - TSMS - Sri. Md. Younus, Senior Assistant - Request for sanction of Additional Charge allowance for the period from 30.04.2021 to 22.06.2021 (2<sup>nd</sup> spell) - Instructions of the Government - Communicated - Reg.

- Ref: 1) SE,IC, Nalgonda Lr.No. SE/IC/GVG/AB/EC2/2021-22/24 CE, Dt. 11.04.2022.  
2) T.O.Lr.No. RC/ENC/E1/22041637/2022, Dt. 07.06.2022.  
3) Govt. Memo.No.3870/SEr.I/A2/2022-1, Dt. 20.06.2022.  
4) T.O.Memo.No. RC/ENC/E1/22041637/2022, Dt. 13. 07.2022.  
5) SE,IC, Nalgonda Lr.No. SE/IC/GVG/AB/EC2/2021-22/24 CE, Dt. 11.04.2022.  
6) T.O.Lr.No. RC/ENC/E1/22041637/2022/31136, Dt. 09.02.2023.  
7) Govt. Memo.No.3870/SEr.I/A1/2022, Dt. 13.04.2023.

><><><<

A copy of the Government Memo 7<sup>th</sup> cited, in the subject matter is herewith communicated for information and taking necessary action in the matter.


Encl: copy of ref. 7<sup>th</sup> cited.

G. Anil Kumar,  
Engineer-in-Chief (Admn)

To  
The Superintending Engineer,  
Irrigation Circle,  
Nalgonda.

✓ Copy communicated to all the Unit Officers of Irrigation & CAD Department, for information and necessary action in the matter (w.e)

Copy to Deputy Executive Engineer (Computers) to place in the website.

  
for Engineer-in-Chief (Admn)

  
3/5/23

22041468

44

4/17/23

GOVERNMENT OF TELANGANA  
IRRIGATION & CAD (SERVICES. I) DEPARTMENT

Memo. No.3870/Ser. I/A1/2022

Dated:13.04.2023

Sub: Estt. - I&CAD Department - TSMS - Sri. Md.Younus, Senior Assistant, O/o SE/IC, Nalgonda - Request for sanction of Additional Charge Allowance for the period from 30.04.2021 to 22.06.2021 ( 2<sup>nd</sup> spell ) - Regarding.

- Ref:1. From the Engineer-in-Chief (Admn.), Irrigation & CAD Department, Hyderabad, Letter No. RC/ENC/E1/22041637/ 2022, dt.07.06.2022.  
2. Memo. No.3870/Ser. I/A2/2022-1, Dated.20.06.2022.  
3. From the Engineer-in-Chief (Admn.), Hyderabad, Lr.No. RC/ ENC/ E1/ 22041637/2022/31136, dt.09.02.2023.

<<>>

The attention of the Engineer-in-Chief (Admn.), I & CAD Dept., is invited to the references cited and he is informed that, para-3 of the Circular Memo No. B-92-7/044/450/FR.II/A2/92 of Fin. & Plg. Dept., dt. 28.10.1992 states that:


" In case where full additional charge arrangements are to be extended or continued beyond the first three months, the Head of the Department shall submit the proposal to that effect well in advance and obtain prior approval of the concerned Administrative Department of Secretariat, if such an arrangement is inevitable. Under no circumstances, the Head of the Department should come up with such proposal long after the termination of such an arrangement.

2. Hence, his proposal received in the reference 1<sup>st</sup> cited is not feasible for acceptance as per the said orders/instructions.

**N. SHANKAR**  
**ADDITIONAL SECRETARY TO GOVERNMENT**

To  
The Engineer-in-Chief (Admn.), Irrigation & CAD Department,  
Hyderabad.  
SF/SC.

// FORWARDED :: :: BY ORDER //

  
SECTION OFFICER