

**GOVERNMENT OF TELANGANA
IRRIGATION & CAD DEPARTMENT**

From: Sri. J. Vijaya Prakash Engineer-In-Chief (Admn.), Irrigation & CAD Department, Govt. of Telangana, 1 st Floor, Jalasoudha, Errummanzil, Hyderabad - 500082	To: All the Engineer – in – Chiefs / Chief Engineers/Unit Officers, Irrigation & CAD Department, Govt. of Telangana.
--	---

Lr. No- ENC/H3-Sec/15081724/2015

Dt: 18.09.2015

Sub: I & CAD Dept., - V&E and Unauthorised absence Cases-Action taken report/information as called for in number of pending V & E cases from the ENC's and concerned Chief Engineers/Unit Officers –Furnishing of information/Action taken reports pending from several years at their levels- Meeting called for - Reg.

Ref: 1. Govt., Memo No. 1315/Vig.II-A (1), 2015-1, dt., 03.03.2015.
2. T.O.Rc/ENC/H1Sec/15031163/2015 dt., 01.04.2015.
3. T.O.Rc/ENC/H1Sec/15031163/2015 dt., 18.04.2015.
4. T.O.Rc/ENC/H1Sec/15031163/2015 dt., 21.04.2015.
5. T.O.Circular Memo No.RC/ENC(AW)/H3/15081724/2015, dt:28.08.2015.
* * * * *

Kind attention is invited to this office references 2nd to 4th cited., wherein it was requested to furnish the ATR/ information along with the status of the V&E pending cases to this office immediately, so as to enable to submit the same to the Govt so as to enable to government to apprise the same before the Director General (V&E) during the next review meeting which is likely to be held shortly.. But, it is regretted to inform that some of CEs have not submitted their reports even after issuing several reminders from this office and it also observed that some of the CEs who have furnished their report to this office are also not in incomplete shape.

It is also learnt that, certain AEs/AEEs/DEEs have proceeded on leave beyond 90 days with or without leave application and continuing in long absence till to date but the reports are not received in this office from many of the Unit/Circle Offices.

In this office reference 5th cited, instructions have been issued to all Circle/Unit officers regarding unauthorized absence cases. But information is still awaited from certain Circle/Unit Offices.

In view of the above, it is decided to review all pending V&E and unauthorized absence cases in the department.

Therefore, the Engineer – in – Chiefs / Chief Engineers are requested to attend the review meeting along with the related information of V&E and unauthorized absence cases details in complete shape on **29.09.2015** at 11.30 AM in the chambers of the Engineer-in-Chief(AW), Jalasoudha Building., Hyderabad without fail.


Yours faithfully,
Sd/-dt:18.09.2015
J.Vijaya Prakash
Engineer-in-Chief(AW)

To

1. Engineer-in-Chief, Irrigation Wing, Hyderabad.
2. Director General, Walamtari.
3. ACE, SRSP, Karimnagar
4. Chief Engineer(P), Karimnagar
5. Chief Engineer, GLIS, Warangal

8. Chief Engineer, CDO, Hyderabad
9. Chief Engineer, NSRSP, Hyderabad
10. Commissioner, CADA, Hyderabad
11. Commissioner, Godavari Basin, Hyderabad
12. Commissioner, COT, Hyderabad
13. Chief Engineer, Minor Irrigation, Hyderabad
14. Chief Engineer, DR. BRAPCSS, Hyderabad

✓ Copy to computer section to place this letter along with the enclosures in the website.


for Engineer-in-Chief(AW)
